



DESIGN FACT SHEET

COLUMN




INTRO


COLUMN rejects the idea that a kitchen has to be angular and opts for roundedness instead. There is an unusual sense of harmony to its smooth curves and its deliberate chunkiness, sharpened by a monolithic central handle. Heavy, solid fronts give COLUMN a refined sense of materiality — elegant and eclectic at once.




Doors




Drawers



Cover panels



Inserts



Plinths

COLUMN is available in three distinct variants, allowing a broad range of expressions; Painted Veneer, Natural Oak, and White Ash. All variants have been treated with matte lacquer to ensure better durability and easy maintenance.

COLUMN Painted Veneer is made by spray painting ash veneer, resulting in a visible wood structure. It is available in four characteristic and versatile colors that speak of Inga Sempé's distinctive color universe; Fresh Cream, Pistachio, Concrete, and Dark Umbra.

COLUMN Natural Oak offers a warm and natural take on the kitchen, with a nod to both Scandinavian and French design tradition. Oak fronts and handles together form a singular expression, both classic and contemporary.

COLUMN White Ash is a discrete expression of natural wood, with a pale surface that ages beautifully. Ash is a superbly sturdy wood, making for an equally durable kitchen. The combination of ash fronts and handles results in a coherent and truly versatile expression.




PAINTED VENEER—Multiple colors



OAK—Natural



ASH—White



Doors, Drawers and Blinds

Total thickness	20 mm / 25/32"
Corners and edges	Radius 1 mm / 1/32"
Surface treatment	Painted (polyurethane, two-component, 25% gloss)
A – Front	0.5 mm / 1/32" natural European ash
B – Core	19 mm / 3/4" standard MDF
C – Back	0.5 mm / 1/32" natural European ash
D – Edgeband	1 mm / 1/32" natural European ash

Please note that measurements may vary according to material tolerances


Cover Panels, Inserts and Plinths

Side panels have been designed with a special thickness of 34 mm / 1 11/32" and have rounded edges whenever the edge is visible. All other cover panels, inserts, and plinths are designed to match the fronts with identical composition and thickness.

Care and maintenance

The fronts can be cleaned with a soft cloth wrung in warm water and normal, mild household detergent. Remember to finish by wiping off with a dry soft cloth.





Doors, Drawers and Blinds

Total thickness 20 mm / 25/32"

Corners and edges Radius 1 mm / 1/32"

Surface treatment Clear lacquer (polyurethane, two-component, 10% gloss)

- A – Front 0.5 mm / 1/32" natural European oak
- B – Core 19 mm / 3/4" standard MDF
- C – Back 0.5 mm / 1/32" natural European oak
- D – Edgeband 3-4 mm / 1/8" natural European oak

Please note that measurements may vary according to material tolerances


Cover Panels, Inserts and Plinths

Side panels have been designed with a special thickness of 34 mm / 1 11/32" and have rounded edges whenever the edge is visible. All other cover panels, inserts, and plinths are designed to match the fronts with identical composition and thickness.

Care and maintenance

The fronts can be cleaned with a soft cloth wrung in warm water and normal, mild household detergent. Remember to finish by wiping off with a dry soft cloth.





Doors, Drawers and Blinds

Total thickness	20 mm / 25/32"
Corners and edges	Radius 1 mm / 1/32"
Surface treatment	White stain and clear lacquer (polyurethane, two-component, 10% gloss)
A – Front	0.5 mm / 1/32" natural European ash
B – Core	19 mm / 3/4" standard MDF
C – Back	0.5 mm / 1/32" natural European ash
D – Edgeband	3-4 mm / 1/8" natural European ash

Please note that measurements may vary according to material tolerances


Cover Panels, Inserts and Plinths

Side panels have been designed with a special thickness of 34 mm / 1 11/32" and have rounded edges whenever the edge is visible. All other cover panels, inserts, and plinths are designed to match the fronts with identical composition and thickness.

Care and maintenance

The fronts can be cleaned with a soft cloth wrung in warm water and normal, mild household detergent. Remember to finish by wiping off with a dry soft cloth.





Design recommendations

The soft curves and consistent roundedness in COLUMN bring a great sense of rhythm to a chunky yet refined frame. The handle is positioned in the center of the front on all doors and drawer fronts (E). However, the handle will be positioned in one of the sides on hinged doors for built-in appliances (D).

Countertop recommendations


It's recommended to pair the kitchen with a countertop (K) in either solid oak, solid ash, or in one of two types of marble: Bianco Carrara or Vert d'Estours. The countertop comes with a thickness of 30 mm / 1 3/16", rounded edges, and with an overhang of 35 mm / 1 3/8" that covers the depth of the handle.

Handles

Available in either natural oak, ash or painted in the same color as the front, the chunky, monolithic handle is an integral part of COLUMN's appeal. Its central position creates a column-appearance on the front and as drawers are stacked on top of each other — a refreshing sense of rhythm.

Handle specifications

Variants	Painted Veneer
	Natural Oak
	White Ash
Dimensions	Depth 35 x 39 mm / 1 3/8 x 1 17/32"



Painted Veneer




Pistachio



Concrete



Fresh Cream



Dark Umbra

Oak



Natural

Ash



White

