



DESIGN FACT SHEET

FOLD




A kitchen is the setting for the daily creativity of cooking, playing and celebrating, so FOLD was designed around surfaces that tolerate constant use.


It is made from thin layers of aluminium — cut, folded and assembled into a straightforward, flexible system. The clean lines that come out of working the material form a calm setting in a busy room, and the folds themselves merge with a powder-coated surface into a pure, holistic finish.




Doors




Drawers



Cover panels



Inserts



Plinths

FOLD comes in two variants: Anthracite and Raw. Both variants are made from a post plate with a 2 mm aluminum plate folded around it. The first variant comes in powder-coated aluminum in the color Anthracite. The surface has a pleasant texture due to the powder coating, which makes it tactile and matte.


The second kitchen design is a raw, brushed aluminum version. The raw aluminum is round brushed, giving it a scratched, criss-cross pattern to make the surface tactile and matte. The raw aluminum will change color over time, and it will oxidize slightly, providing a slightly darker glow.



ALUMINIUM-Raw



ALUMINIUM – Anthracite



Doors, Drawers and Blinds

Total thickness	19 mm / 3/4"
Corners and edges	Corner: Radius 2 mm / 3/32" Edge: Radius 0.5 mm / 1/32"
Surface treatment	Raw: Brushed Anthracite: Powder coated, painted (gloss 10)
A – Front	2 mm / 3/32" aluminium
B – Core	16 mm / 5/8" gray or black colored MFC
C – Back	–
D – Edgeband	–

Please note that measurements may vary according to material tolerances

Cover Panels, Inserts and Plinths


Cover panels, inserts and plinths are designed to match the fronts with identical composition and thickness. The aluminum is folded around the edges. The backside of the cover panels will be either black or gray depending on the front variant.

Care and maintenance

The kitchen can be cleaned using a damp cloth. In addition, you can use a normal, mild household detergent to the cleaning.

Please note that the raw aluminum will oxidize over time, giving it a natural glow and the material will show marks such as fingerprints. The aging and patina are part of the design, making the surface rustic and industrial. However, the aluminum can be polished at any given time using aluminum polish.





Design recommendations

The designer We recommend choosing side panels (A) in a height that leaves a glimpse of the plinth from the side. Furthermore, the designer recommends cover panels below as well as above (H) the wall cabinets to create a framed look.

Handle specifications


Variants	Integrated
----------	------------

Dimensions	–
------------	---

The FOLD design can be completed with cabinets and steel drawers in black which match and complement the color scale of the design while following the industrial design aesthetic.

Countertop recommendations

The designer recommends a 5 mm / 7/32" solid stainless steel countertop (K) for the FOLD design with the aim of matching the rustic and industrial look and feel of the design—and to stay true to the principle of using durable materials that tolerate constant use.




Handles

The FOLD handle is integrated into the design and always positioned horizontally on the front. Handles on fronts with a width of 40 cm / 15" are always centered in the top, while handles on fronts with a width of 60 and 80 cm or more than 15" are placed either top left or right (I). Due to the length of the handle, fronts with a width of 30 cm or less / less than 15" will be ordered without handles (and operated with a push-to-open solution).

For high cabinets, the handle will be positioned horizontally and mid-height on the door in either the left or right side of the front (C) and always opposite to the side where the hinges are placed.



Aluminium



Raw



Anthracite